



सत्यमेव जयते

The Gujarat Government Gazette

EXTRAORDINARY

PUBLISHED BY AUTHORITY

Vol. LVI]

WEDNESDAY, DECEMBER 23, 2015/PAUSA 2, 1937

Separate paging is given to this Part in order that it may be filed as a Separate Compilation.

PART IV-C

Statutory Rules and Orders (Other than those published in Parts I, I-A and I-L) made by Statutory Authorities other than the Government of Gujarat including those made by the Government of India, the High Courts, the Director of Municipalities, the Commissioner of Police, the Director of Prohibition and Excise, the District Magistrates and the Election Commission, Election Tribunals, Returning Officers and other authorities under the Election Commission.

GUJARAT POLLUTION CONTROL BOARD

Notification

23rd December, 2015

SECTOR - 10A, NEAR AIR FORCE STATION
GANDHINAGAR.

The Gujarat Pollution Control Board in exercise of the powers conferred under section 17(g) of the Air (Prevention and Control of Pollution) Act, 1981, hereby laid down norms for flue gases emitted from Kiln stack, using gas generated from gasifier as a fuel as well as Evaporator's hot air generator (HAG), Tar cracker's HAG as follows:

(1) Norms for flue gas emission from stack

Parameters	Norms Applicable from 19, December, 2015	Norms Applicable from 19, December, 2017	Sampling duration (in minutes)
PM	150 mg/Nm ³	50 mg/Nm ³	30
SO ₂	200 mg/Nm ³	200 mg/Nm ³	30
NO _x	400 mg/Nm ³	400 mg/Nm ³	30
CO	100 mg/Nm ³	100 mg/Nm ³	30
TOC	20 mg/Nm ³	20 mg/Nm ³	30

(2) Norms for Work Zone in Ceramic Industries having Gasifier and/or Kiln.

Work zone	Parameters	Norms (in mg/m ³) (8hr.time weighted average values)
Gasifier and kiln	Respirable Dust (PM ₁₀)	05
	Carbon Monoxide (CO)	55
	Coal tar volatiles [benzene soluble fractions viz. anthracene, Benzo (a) Pyrene, Phenanthrene, Dibenzo (b,e) Pyridine, Chrysene & Pyrene]	0.2
	SO ₂ (Sulphur Dioxide)	13

HARDIK SHAH, IAS
MEMBER SECRETARY
Gujarat Pollution Control Board
Gandhinagar.